

SUMMARY OF ANALYSIS (SAMPLE ID: SA29420)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 -	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Order ID: OR9221 Lot Number: Not Entered Batch Number: CTK-121520-02	Sample Type: Primary Matrix: Lotion/Salve Mass: 120g Date Collected: 12/15/2020 Date Received: 12/18/2020
Cultivar (Strain) or Sample Description: EyeDentify Face Wash			Date Completed: 12/22/2020

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed.

Moisture Content (%)	Water Activity (aw)	PASS/FAIL
Not Tested	Not Tested	N/A

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.
Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg/g</u>
CBD	0.0917	0.917
CBG	0.00895	0.0895
CBDa	0	-
TOTAL CBD	0.0917	0.917
TOTAL THC	-	-
TOTAL CANNABINOIDS	0.101	1.01

<u>Contaminants</u>	<u>PASS/FAIL</u>
Visual Inspection:	PASS



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.
Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.
This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.
The statements and results herein have not been approved and/or endorsed by the FDA.



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA29420)

Testing Location:	Customer ID: 37	Order ID: OR9221	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Lotion/Salve
232 S. Broadview St.	8107 S I-35 Service Rd	Not Entered	Mass: 120g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 12/15/2020
-	License: Not Entered or N/A	CTK-121520-02	Date Received: 12/18/2020

Cultivar (Strain) or Sample Description: EyeDentify Face Wash **Date Completed:** 12/22/2020

CANNABINOID (POTENCY) PROFILE

Analysis Date/Time: 12/21/2020 1520
Analyst: PW

Method: HPLC/DAD
Instrument: Agilent 1100

Moisture Content (%): -
Water Activity (aw): -


Cannabinoid	Result (%)	Result (mg/g)	Reporting Limit (mg/g)	Result (mg/mL)	Per Unit (mg)
CBD	0.0917	0.917	0.025	-	110
CBDa	-	-	0.025	-	-
CBDv	-	-	0.025	-	-
Δ9-THC	-	-	0.025	-	-
Δ8-THC	-	-	0.025	-	-
THCa	-	-	0.025	-	-
THCv	-	-	0.025	-	-
CBC	-	-	0.025	-	-
CBG	0.00895	0.0895	0.025	-	10.7
CBGa	-	-	0.025	-	-
CBN	-	-	0.025	-	-
TOTAL	0.101	1.01	-	-	121
TOTAL THC	-	-	-	-	-
TOTAL CBD	0.0917	0.917	-	-	110



UNIT MASS (g): 120

"- " Not detected above RL.

Cannabinoid Distribution
(% of Total Cannabinoids)



Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total THC = (THCa x 0.877) + Δ9-THC
Total CBD = (CBDa x 0.877) + CBD

Percentage results are reported by mass.
mg/g results are reported as mass component per mass material.

Abbreviations: UV - Ultraviolet, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC



Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director